

# **SAFETY DATA SHEET**

Be Right<sup>™</sup>

Issue Date 15-Aug	g-2016 Revision Date 09	9-Jan-2018	Version 7.2	<b>Page</b> 1 / 17		
	1. IDENTIFICATION					
Product identifier Product Name	TitraVer <sup>®</sup> (ED	TA) Hardness Titrant	t 0.200N, 0.100M			
Other means of ider Product Code(s)	ntification 102133					
Safety data sheet nu	Imber M00354					
Recommended use Recommended Use Uses advised agains Restrictions on use	st None.	n <u>s on use</u> ution. Hardness deter	mination.			
Details of the supplier of the safety data sheet						
Manufacturer Addre Hach Company P.O.6 CO 80539 USA +1(97	Box 389 Loveland,					

## Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

## 2. HAZARDS IDENTIFICATION

#### Classification

#### **Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

#### Hazards not otherwise classified (HNOC) Not applicable

#### Label elements

### Hazard statements

The product contains no substances which at their given concentration, are considered to be hazardous to health

## Other Hazards Known

Harmful to aquatic life

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

EN / AGHS

Issue Date 15-Aug-2016 Version 7.2 Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 2 / 17

#### Substance Not applicable

<u>Mixture</u>

## Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Formaldehyde	50-00-0	<0.1%	-
Methyl alcohol	67-56-1	<0.1%	-

## **4. FIRST AID MEASURES**

#### **Description of first aid measures**

General advice	No hazards which require special first aid measures. Use first aid treatment according to the nature of the injury.		
Inhalation	Remove to fresh air.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash skin with soap and water.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects, both acute and delayed			
Symptoms	See Section 11 for additional Toxicological Information.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

## **5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## 6. ACCIDENTAL RELEASE MEASURES

Product Code(s) 102133	<b>Product Name</b> TitraVer <sup>®</sup> (EDTA) Hardness Titrant 0.200N, 0.100M		
Issue Date 15-Aug-2016 Version 7.2	Revision Date 09-Jan-2018 Page 3 / 17		
U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.		
Personal precautions, protective ed	quipment and emergency procedures		
Personal precautions	Ensure adequate ventilation.		
Environmental precautions			
Environmental precautions	See Section 12 for additional ecological information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
Reference to other sections	See section 8 for more information. See section 13 for more information.		

## 7. HANDLING AND STORAGE

Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			
Flammability class	Not applicable			

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
CAS#: 67-56-1	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>
		(vacated) STEL: 325 mg/m <sup>3</sup>	
		(vacated) SKN*	

Issue Date 15-Aug-2016 Version 7.2 Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 4 / 17

Appropriate engineering controls Engineering Controls	Showers Eyewash stations Ventilation systems.
	ch as personal protective equipment
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves.
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	No special protective equipment required.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution None	Liquid		Color Odor threshold	colorless No data ava	ailable
<b>Property</b>			Values			Remarks • Method
Molecular weight		No data availa	No data available			
рН			4.8			
Melting point/freezing point		~ -1 °C / 30	~ -1 °C / 30 °F		Estimation based on theoretical calculation	
Boiling point / boiling range		~ 100 °C / 212 °F		Estimation based on theoretical calculation		
Evaporation rate		0.64 (water = 1)				
Vapor pressure			23.627 mm Hg	/ 3.15 kPa at 25	°C / 77 °F	Estimation based on theoretical calculation
Vapor density (a	ir = 1)		0.62 (air = 1)			
Specific gravity (	water = 1 / air = 1)		1.010			
Partition Coeffici	ient (n-octanol/wate	er)	Not applicable			
Soil Organic Car Coefficient	bon-Water Partition	า	Not applicable			
Autoignition tem	perature		No data availa	ble		
Decomposition t	emperature		No data availa	ble		

Issue Date 15-Aug-2016 Version 7.2 Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 5 / 17

**Dynamic viscosity** 

No data available

**Kinematic viscosity** 

No data available

Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

No data available

No data available

## **Other Information**

**Metal Corrosivity** 

Steel Corrosion Rate Aluminum Corrosion Rate

## Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical nameCAS No.Volatile organic<br/>compounds (VOC) contentCAA (Clean Air Act)Formaldehyde50-00-0No data availableXMethyl alcohol67-56-1No data availableX

#### **Explosive properties**

Upper explosion limit Lower explosion limit		No data available No data available
Flammable properties		
Flash point		No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:		No data available No data available
Oxidizing properties		No data available.
Bulk density		Not applicable
Particle Size	No information available	
Particle Size Distribution	No information available	

## **10. STABILITY AND REACTIVITY**

Reactivity

Not applicable.

Product C	ode(s)	102133
-----------	--------	--------

Product Name TitraVer<sup>®</sup> (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 6 / 17

Chemical stability Stability

Stable under normal conditions.

#### Explosion data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None.

## Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

#### <u>Hazardous polymerization</u> None under normal processing.

<u>Conditions to avoid</u> Conditions to avoid

None known based on information supplied.

Incompatible materials Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

### Hazardous Decomposition Products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on Likely Routes of Exposure

\_ ...

**Product Information** 

Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.
Symptoms	No information available.
Aggravated Medical Conditions Toxicologically synergistic products	None known. None known.
•	See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
	Metabolism of methanol appears to be similar regardless of administrative route. Methanol is converted to formaldehyde, which is converted to formate which is oxidized to carbon dioxide in primates.

Product Acute Toxicity Data	
Oral Exposure Route	No data available
Dermal Exposure Route	No data available
Inhalation (Dust/Mist) Exposure Route	No data available
Inhalation (Vapor) Exposure Route	No data available
Inhalation (Gas) Exposure Route	No data available

. .

## **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

### Acute Toxicity Estimations (ATE)

## The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	56,432.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Ingredient Acute Toxicity Data

Oral Exposure Route				If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD50	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat LD <sub>50</sub>	5628 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Dermal Exposure Ro	ute			If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rabbit LD <sub>50</sub>	15800 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Inhalation (Dust/Mist	) Exposure R	oute		If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC50	0.578 mg/L	4 hours	None reported	LOLI
Inhalation (Vapor) Ex	posure Rout	e		If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat LC₅₀	64000 mg/L	6 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Inhalation (Gas) Exp	osure Route			If available, see data below	

Inhalation (Gas) Exposure Route

If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Troduct opecific Target organ Toxicity olingle Exposure Da	la
Oral Exposure Route	No data available
Dermal Exposure Route	No data available
Inhalation (Dust/Mist) Exposure Route	No data available
Inhalation (Vapor) Exposure Route	No data available
Inhalation (Gas) Exposure Route	No data available

Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 8 / 17

## Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route				If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LDLo	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human LD∟₀	143 mg/kg	None reported	Other changes Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD⊾₀	643 mg/kg	None reported	Gastrointestinal Lungs, Thorax, or Respiration Nausea or vomiting Respiratory obstruction Ulcerated stomach	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Man LD∟₀	3.571 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Dermal Exposure Ro Inhalation (Dust/Mist Inhalation (Vapor) Ex	) Exposure R			If available, see data below If available, see data below If available, see data below	· · · · · · · · · · · · · · · · · · ·
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human TC∟₀	300 mg/L	None reported	Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Aspiration toxicity No data available

Product Skin Corrosion/Irritation Data No data available.

## Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	20 mg	24 hours	Skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

## Product Serious Eye Damage/Eye Irritation Data

No data available.

## Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported	Exposure	Results	Key literature

Issue Date 15-Aug-2016 Version 7.2 Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 9 / 17

			dose	time		references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	40 mg	None reported	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

#### **Sensitization Information**

#### <u>Product Sensitization Data</u> Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route

No data available. No data available.

## Ingredient Sensitization Data

Skin Sensitization Exposure Route If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)
<b>Respiratory Sensitiz</b>	Respiratory Sensitization Exposure Route		If available, see data below	•
Chemical name	Test method	Species	Results	Key literature references and
		-		sources for data
Formaldehyde	IgE Specific	Guinea pig	Confirmed to be a respiratory	CICAD (Concise International
(<0.1%)	Immune Response		sensitizer	Chemical Assessment Documents)
CAS#: 50-00-0	Test			

#### **Chronic Toxicity Information**

#### Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route	No data available.
Dermal Exposure Route	No data available.
Inhalation (Dust/Mist) Exposure Route	No data available.
Inhalation (Vapor) Exposure Route	No data available.
Inhalation (Gas) Exposure Route	No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data									
Oral Exposure Route	If available, see data below								
Dermal Exposure Route If available, see data below									
Inhalation (Dust/Mist) Exposure Route	If available, see data below								
Inhalation (Vapor) Exposure Route	If available, see data below								
Chemical name Endpoint Reported I	Exposure Toxicological effects Key literature references and								

Chemical hame	type	dose	time	Toxicological effects	sources for data
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS (Registry of Toxic
(<0.1%)	TCLO			Lungs, Thorax, or	Effects of Chemical
CAS#: 50-00-0				Respiration	Substances)
				Lacrimation	
				Other changes	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	2 mg/L	40 minutes	Lungs, Thorax, or	RTECS (Registry of Toxic
(<0.1%)	TCLO	-		Respiration	Effects of Chemical
CAS#: 50-00-0				Other changes	Substances)
				Respiratory depression	

### Inhalation (Gas) Exposure Route

If available, see data below

## Product Carcinogenicity Data

Issue Date 15-Aug-2016 Version 7.2

#### Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

#### Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Methyl alcohol	67-56-1	-	-	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

#### **Oral Exposure Route** If available, see data below **Dermal Exposure Route** If available, see data below If available, see data below Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route If available, see data below **Chemical name** Endpoint Reported Exposure **Toxicological effects** Key literature references and dose time type sources for data **RTECS** (Registry of Toxic Formaldehyde 15 mg/L 78 weeks Olfaction Rat Effects of Chemical Tumors (<0.1%) CAS#: 50-00-0 Substances)

Inhalation (Gas) Exposure Route

## If available, see data below

## Ingredient Germ Cell Mutagenicity invitro Data

Product Germ Cell Mutagenicity invitro Data

If available, see data below

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human Iymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical
						Substances)

Product Germ Cell Mutagenicity invivo Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available No data available

## Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Route	If available, see data below					
Chemical name	Chemical name Test		Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Methyl alcohol	DNA damage	Rat	0.405 mg/kg	None	Positive test result for	RTECS (Registry
(<0.1%)	-			reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1						Chemical
						Substances)

Product Name TitraVer<sup>®</sup> (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 10 / 17

No data available No data available No data available No data available No data available

Issue Date 15-Aug-2016 Version 7.2 Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 11 / 17

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and
			4000			sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Cytogenetic analysis	Mouse	1000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
•	ermal Exposure Route If available, see data below					
	nalation (Dust/Mist) Exposure Route If available, see data below					
Inhalation (Vapor) Exp	posure Route		If available	, see data bel	OW	

Initialation (vapor)	(vapor) Exposure Route in available, see data below					
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

Product Reproductive Toxicity Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route If available, see data below

No data available No data available No data available No data available No data available

## Ingredient Reproductive Toxicity Data

Dral Exposure Route				If available, see data below		
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat TD⊾o	4118 mg/kg	10 days	Effects on Embryo or Fetus Specific Developmental Abnormalities Ear Eye Fetotoxicity (except death e.g. stunted fetus) Urogenital System	RTECS (Registry of Toxic Effects of Chemical Substances)	
nhalation (Dust/Mist) Exposure Route				If available, see data below		
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat TC⊾₀	0.0026 mg/L	22 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)	
nhalation (Vapor) Ex	posure Route	)		If available, see data below		
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC∟₀	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	

EN / AGHS

Page 11/17

Issue Date 15-Aug-2016 Version 7.2

Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 12/17

Formaldehyde (<0.1%)	Rat TCLo	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including	RTECS (Registry of Toxic Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)
Methyl alcohol	Mouse	1500 mg/L	7-9 days	Specific Developmental	RTECS (Registry of Toxic
(<0.1%) CAS#: 67-56-1	TCLo			Abnormalities Central Nervous System	Effects of Chemical Substances)
Inhalation (Gas) Exposure Route If available, see data below					,

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### Product Ecological Data

Aquatic toxicity

Fish Crustacea Algae

Ingredient Ecological Data

#### Aquatic toxicity

If available, see ingredient data below Fish **Chemical name** Exposure Species Endpoint Reported Key literature references and time dose sources for data type PEEN (Pan European Ecological Formaldehyde 96 hours Morone saxatilis 6.7 mg/L LC50 Network) (<0.1%) CAS#: 50-00-0 If available, see ingredient data below Crustacea **Chemical name** Exposure Species Endpoint Reported Key literature references and time type dose sources for data Formaldehyde 48 Hours Daphnia pulex 5.8 mg/L PEEN (Pan European Ecological EC50 (<0.1%) Network) CAS#: 50-00-0

Algae

If available, see ingredient data below

#### **Other Information**

#### Persistence and degradability

## **Product Biodegradability Data**

No data available.

#### Ingredient Biodegradability Data

Chemical name	Test method	Biodegradation	Exposure	Results
			time	
Glycine,	Estimation through BIOWIN v4.10 part of the Estimation	None reported	None	Readily
N,N-1,2-ethanediylbis	Programs Interface (EPI) Suite™		reported	biodegradable
[N-(carboxymethyl)-,				-
disodium salt,				
dihydrate				
(1 - 5%)				
CAS#: 6381-92-6				

#### **Bioaccumulation**

EN / AGHS

No data available No data available

No data available

Issue Date 15-Aug-2016 Version 7.2

#### **Product Bioaccumulation Data** No data available.

## Partition Coefficient (n-octanol/water)

#### **Ingredient Bioaccumulation Data**

Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 13 / 17

Chemical name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde (<0.1%) CAS#: 50-00-0	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	BCF = 3.16228	Does not have the potential to bioaccumula te
Methyl alcohol (<0.1%) CAS#: 67-56-1	OECD Test 305: Bioaccumulation in Fish	None reported	None reported	BCF < 10	Does not have the potential to bioaccumula te

#### Mobility

## Soil Organic Carbon-Water Partition Coefficient

Not applicable

Not applicable

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Not applicable, U122 U154

Chemical name	RCRA	RCRA - Basis for	RCRA - D Series	RCRA - U Series
		Listing	Wastes	Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		
Methyl alcohol	-	Included in waste stream:	-	U154
67-56-1		F039		

Special instructions for disposal

If permitted by regulation. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Dispose of

Product Name TitraVer® (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 14/17

material in an E.P.A. approved hazardous waste facility.

	14. TRANSPORT INFORMATION
U.S. DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

## **15. REGULATORY INFORMATION**

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIOC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TCSI** - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Methyl alcohol (CAS #: 67-56-1)	1.0

Product Name TitraVer<sup>®</sup> (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 15 / 17

## SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

## <u>CERCLA</u>

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Methyl alcohol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

## U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

## **US State Regulations**

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methyl alcohol (CAS #: 67-56-1)	Developmental

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde 50-00-0	Х	Х	Х
Methyl alcohol 67-56-1	Х	Х	Х

## U.S. EPA Label Information

Chemical name	FIFRA	FDA
Methyl alcohol	180.0910	-

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

**Special Comments** None

#### **Additional information**

#### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Formaldehyde 50-00-0	Declarable Substance (FI) Prohibited Substance (LR)	0.0 % 0.1 %
Methyl alcohol 67-56-1	Declarable Substance (LR) Declarable Substance (FI)	0.1 %

#### **NFPA and HMIS Classifications**

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 0	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	Immediately Dangerous to Life or Health
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	no data

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weight	ed average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Complian	ce Department	
Issue Date		15-Aug-2016		
<b>Revision Date</b>		09-Jan-2018		
<b>Revision Note</b>		None		
<u>Disclaimer</u>				1
EN / AGHS				Page 16 / 17

Issue Date 15-Aug-2016 Version 7.2 Product Name TitraVer<sup>®</sup> (EDTA) Hardness Titrant 0.200N, 0.100M Revision Date 09-Jan-2018 Page 17 / 17

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

**End of Safety Data Sheet**