



Be Right™

SAFETY DATA SHEET

Issue Date 27-Apr-2017

Revision Date 27-Apr-2017

Version 1.1

Page 1 / 19

1. IDENTIFICATION

Product identifier

Product Name Isopropanol

Other means of identification

Product Code(s) 1227642

Safety data sheet number M00189

UN/ID no UN1219

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company
P.O.Box 389 Loveland, CO 80539 USA
(970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 2 / 19



Hazard statements

H225 - Highly flammable liquid and vapor
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness

Precautionary statements

P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment
P235 - Keep cool
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P312 - Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant

Other Information

May be harmful if swallowed
Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name Isopropyl alcohol
Chemical Family Alcohols.
Formula C₃H₈O
CAS No 67-63-0

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
Isopropyl alcohol	67-63-0	100%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	See section 8 for PPE that may be required during handling. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If no local exhaust use approved fume hood and/or respirator. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Remove from exposure, lie down. Immediate medical attention is required. IF IN EYES: Flush eyes for at least 15 minutes. May cause skin irritation.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	For minor skin contact, avoid spreading material on unaffected skin. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Remove and isolate contaminated clothing and shoes. Call a POISON CENTER or doctor if you feel unwell. If skin irritation persists, call a physician.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. Aspiration into lungs can produce severe lung damage.
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Remove from exposure, lie down. Call a POISON CENTER or doctor/physician if you feel unwell. Do not induce vomiting without medical advice.
Self-protection of the first aider	First aider: Pay attention to self-protection. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide. Alcohol foam. Dry chemical. Water.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Flammable properties

HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Flammable liquid. Classified as flammable according to GHS criteria. Flammable liquids. Highly flammable liquid and vapor. Will be easily ignited by heat, sparks or flames. Vapors may cause flash fire or explosion. Vapors can travel to a source of ignition and flash back. Heating may cause a fire or explosion. Containers may explode when heated.

Specific hazards arising from the chemical

Flammable liquid. Do not expose to sparks or other ignition sources. May react violently with. Strong oxidizers. Flammable.

Hazardous combustion products

Carbon monoxide, Carbon dioxide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

- U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
- EC Notice** Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.
- WHMIS Notice** Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

- Personal precautions** Evacuate personnel to safe areas. Remove all sources of ignition. Do not touch or walk through spilled material. Ventilate affected area. Use personal protective equipment as required.
- For emergency responders** Use personal protection recommended in Section 8.
- Environmental precautions**
- Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

- Methods for containment** Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.
- Methods for cleaning up** Take necessary precautions in observance of pertinent physical hazards. Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Dispose of in accordance with local, state and federal regulations or laws. Use only non-sparking tools. Ground and bond containers when transferring material. Take precautionary measures against static discharges. Use personal protective equipment as required.

Emergency Response Guide Number 129

7. HANDLING AND STORAGE

Precautions for safe handling

- Advice on safe handling** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Use spark-proof tools and explosion-proof equipment.

Flammability class Class IB

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 100%	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Isopropyl alcohol 100%	TWA: 200 ppm TWA: 492 mg/m ³ STEL: 400 ppm STEL: 984 mg/m ³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 983 mg/m ³ STEL: 500 ppm STEL: 1230 mg/m ³	TWA: 200 ppm STEL: 400 ppm

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
Isopropyl alcohol 100%	TWA: 200 ppm STEL: 400 ppm	STEL: 400 ppm TWA: 200 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	STEL: 400 ppm TWA: 200 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Isopropyl alcohol 100%	TWA: 400 ppm TWA: 985 mg/m ³ STEL: 500 ppm STEL: 1230 mg/m ³	TWA: 200 ppm STEL: 400 ppm	STEL: 500 ppm STEL: 1225 mg/m ³ TWA: 400 ppm TWA: 980 mg/m ³ SKN*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls If no local exhaust use approved fume hood and/or respirator
 Showers
 Eyewash stations

Individual protection measures, such as personal protective equipment

Eye/face protection Wear tight sealing safety goggles and/or face protection shield. Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection Do not breathe gas/fumes/vapor/spray. If no local exhaust use approved fume hood and/or respirator. In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Avoid breathing (dust, vapor, mist, gas). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear suitable gloves and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated contact with skin. Take off all contaminated clothing and wash it before reuse.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Gas Under Pressure	Not classified according to GHS criteria		
Appearance	clear	Color	colorless
Odor	Alcoholic	Odor threshold	50 ppm

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	60.17 g/mole	
pH	7	
Melting point/freezing point	-89 °C / -128 °F	
Boiling point / boiling range	82 °C / 180 °F	
Evaporation rate	2.3 (water = 1)	
Vapor pressure	33.003 mm Hg / 4.4 kPa at 20 °C / 68 °F	
Vapor density (air = 1)	2.07	
Specific gravity (water = 1 / air = 1)	0.785	
Partition Coefficient (n-octanol/water)	log K _{ow} = 0.05	
Soil Organic Carbon-Water Partition Coefficient	log K _{oc} = 0.54	
Autoignition temperature	399 °C / 750 °F	
Decomposition temperature	No data available	
Dynamic viscosity	2.4 cP (mPa s) at 20 °C / 68 °F	
Kinematic viscosity	3.057 cSt (mm ² /s) at 20 °C / 68 °F	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acetone	Soluble	> 1000 mg/L	25 °C / 77 °F
Acids	Soluble	> 1000 mg/L	25 °C / 77 °F /
Chloroform	Soluble	> 1000 mg/L	25 °C / 77 °F
DMF	Soluble	> 1000 mg/L	25 °C / 77 °F
Ethyl alcohol	Soluble	> 1000 mg/L	25 °C / 77 °F
Ether	Soluble	> 1000 mg/L	25 °C / 77 °F
Methanol	Soluble	> 1000 mg/L	25 °C / 77 °F
Dichloromethane	Soluble	> 1000 mg/L	25 °C / 77 °F
Salt Solutions	Insoluble	< 0.1 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity	Not classified as corrosive to metal according to GHS criteria
Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available
Volatile Organic Compounds (VOC) Content	This Product is by Weight 100% an Individual Pure Chemical Substance. See ingredients information below.

Chemical Name	Volatile organic compounds (VOC) content
Isopropyl alcohol (100%) CAS#: 67-63-0	100%

Bulk density	Not applicable
Explosive properties	Not classified according to GHS criteria.
Explosion data	No data available
Upper explosion limit	12.0%
Lower explosion limit	2.5%
Flammable properties	HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Flammable liquid. Classified as flammable according to GHS criteria. Flammable liquids. Highly flammable liquid and vapor. Will be easily ignited by heat, sparks or flames. Vapors may cause flash fire or explosion. Vapors can travel to a source of ignition and flash back. Heating may cause a fire or explosion. Containers may explode when heated.
GHS Flammability Classification	Liquid - Category 2, H225
Flammability Limit in Air	
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Flash point	12 °C / 54 °F
Method	CC (closed cup)
Oxidizing properties	Not classified according to GHS criteria.

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 8 / 19

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

None reported

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Contact with heat, sparks, open flames or other ignition sources. Take precautionary measures against static discharges.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Heating to decomposition releases toxic fumes of carbon monoxide and carbon dioxide.

Explosive properties

Not classified according to GHS criteria.

Upper explosion limit

12.0%

Lower explosion limit

2.5%

Autoignition temperature

399 °C / 750 °F

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number

NT8050000

Information on Likely Routes of Exposure

Product Information	Vapors may cause drowsiness and dizziness. Causes mild skin irritation. Causes serious eye irritation. May be harmful if swallowed. May cause drowsiness or dizziness.
Inhalation	Avoid breathing vapors or mists. May cause drowsiness or

	dizziness.
Eye contact	Contact with eyes may cause irritation. Severely irritating to eyes.
Skin contact	Causes mild skin irritation.
Ingestion	May be harmful if swallowed. May cause drowsiness or dizziness.
Aggravated Medical Conditions	Skin disorders. Eye disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	This Product is by Weight 100% an Individual Pure Chemical Substance. See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Isopropyl alcohol (100%) CAS#: 67-63-0	Isopropanol is rapidly absorbed across the gastric mucosa and reaches a peak concentration approximately 30-120 minutes after ingestion. Isopropanol is primarily metabolized via alcohol dehydrogenase to acetone.

Product Acute Toxicity Data

This Product is by Weight 100% an Individual Pure Chemical Substance

Oral Exposure Route

If available, see ingredient data below

Dermal Exposure Route

If available, see ingredient data below

Inhalation (Dust/Mist) Exposure Route

If available, see ingredient data below

Inhalation (Vapor) Exposure Route

If available, see ingredient data below

Inhalation (Gas) Exposure Route

If available, see ingredient data below

Acute Toxicity Estimations (ATE)

Not applicable

Ingredient Acute Toxicity Data

Oral Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat LD ₅₀	4710 mg/kg	None reported	Behavioral General anesthetic	OECD (Organization for Economic Co-operation and Development)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Human TD _{Lo}	223 mg/kg	None reported	Behavioral Hallucinations, Distorted perceptions Cardiac Pulse rate decrease with fall in BP Vascular BP lowering not characterized in autonomic section	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Rabbit LD ₅₀	12800 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
---------------	----------	----------	----------	-----------------------	-------------------------------

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 10 / 19

	type	dose	time		sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat LC ₅₀	72.6 mg/L	4 hours	Behavioral General anesthetic Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Human TC _{Lo}	35 mg/L	4 hours	Cardiac Pulse rate decrease with fall in BP Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Human TC _{Lo}	150 mg/L	2 hours	Biochemical Enzyme inhibition, induction, or change in blood or tissue levels Other enzymes	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Product Skin Corrosion/Irritation Data

This Product is by Weight 100% an Individual Pure Chemical Substance. If available, see ingredient data below.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

This Product is by Weight 100% an Individual Pure Chemical Substance. If available, see ingredient data below.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Standard Draize Test	Rabbit	100 mg	None reported	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route

This Product is by Weight 100% an Individual Pure Chemical Substance. If available, see ingredient data below.

Respiratory Sensitization Exposure Route

This Product is by Weight 100% an Individual Pure Chemical

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 11 / 19

Substance. If available, see ingredient data below.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available, see data below.

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD (Organization for Economic Co-operation and Development)

Respiratory Sensitization Exposure Route

No data available.

Chronic Toxicity Information

Product Repeat Dose Toxicity Data

Oral Exposure Route

If available, see ingredient data below.

Dermal Exposure Route

If available, see ingredient data below.

Inhalation (Dust/Mist) Exposure Route

If available, see ingredient data below.

Inhalation (Vapor) Exposure Route

If available, see ingredient data below.

Inhalation (Gas) Exposure Route

If available, see ingredient data below.

Ingredient Repeat Dose Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	67-63-0	-	Group 3	-	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Product Carcinogenicity Data

This Product is by Weight 100% an Individual Pure Chemical Substance

Oral Exposure Route

If available, see ingredient data below

Dermal Exposure Route

If available, see ingredient data below

Inhalation (Dust/Mist) Exposure Route

If available, see ingredient data below

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 12 / 19

Inhalation (Vapor) Exposure Route If available, see ingredient data below

Inhalation (Gas) Exposure Route If available, see ingredient data below

Ingredient Carcinogenicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Product Germ Cell Mutagenicity *invitro* Data

This Product is by Weight 100% an Individual Pure Chemical Substance. If available, see ingredient data below.

Ingredient Germ Cell Mutagenicity *invitro* Data No data available

Product Germ Cell Mutagenicity *invivo* Data

This Product is by Weight 100% an Individual Pure Chemical Substance.

Oral Exposure Route If available, see ingredient data below

Dermal Exposure Route If available, see ingredient data below

Inhalation (Dust/Mist) Exposure Route If available, see ingredient data below

Inhalation (Vapor) Exposure Route If available, see ingredient data below

Inhalation (Gas) Exposure Route If available, see ingredient data below

Ingredient Germ Cell Mutagenicity *invivo* Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route If available, see data below

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Product Reproductive Toxicity Data

This Product is by Weight 100% an Individual Pure Chemical Substance.

Oral Exposure Route If available, see ingredient data below

Dermal Exposure Route If available, see ingredient data below

Inhalation (Dust/Mist) Exposure Route

If available, see ingredient data below

Inhalation (Vapor) Exposure Route

If available, see ingredient data below

Inhalation (Gas) Exposure Route

If available, see ingredient data below

Ingredient Reproductive Toxicity Data

Oral Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat TD _{Lo}	32.4 mg/kg	None reported	Effects on Embryo or Fetus Fetal death	RTECS (Registry of Toxic Effects of Chemical Substances)
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat TD _{Lo}	3500 mg/kg	None reported	Effects on Fertility Mating performance (e.g. # sperm positive females per # females mated; # copulations per # estrus cycles)	RTECS (Registry of Toxic Effects of Chemical Substances)
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat TD _{Lo}	8000 mg/kg	9 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat TC _{Lo}	7000 mg/L	19 days	Specific Developmental Abnormalities Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat TC _{Lo}	10000 mg/L	19 days	Effects on Embryo or Fetus Fetal death Effects on Fertility Post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants) Pre-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea)	RTECS (Registry of Toxic Effects of Chemical Substances)
Isopropyl alcohol (100%) CAS#: 67-63-0	Rat TC _{Lo}	3500 mg/L	19 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on the classification principles, not classified as hazardous to the environment.

Product Ecological Data

This Product is by Weight 100% an Individual Pure Chemical Substance

Aquatic toxicity

Fish

If available, see ingredient data below

Crustacea

If available, see ingredient data below

Algae

If available, see ingredient data below

Terrestrial toxicity

Soil

If available, see ingredient data below

Vertebrates

If available, see ingredient data below

Invertebrates

If available, see ingredient data below

Ingredient Ecological Data

Aquatic toxicity

Fish

If available, see ingredient data below

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	96 hours	<i>Pimephales promelas</i>	LC ₅₀	4200 mg/L	IUCLID (The International Uniform Chemical Information Database)

Crustacea

If available, see ingredient data below

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	48 Hours	None reported	LC ₅₀	1400 mg/L	IUCLID (The International Uniform Chemical Information Database)

Algae

If available, see ingredient data below

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (100%) CAS#: 67-63-0	72 Hours	<i>Scenedesmus subspicatus</i>	EC ₅₀	> 1000 mg/L	IUCLID (The International Uniform Chemical Information Database)

Terrestrial toxicity

Soil

No data available

Vertebrates

No data available

Invertebrates

No data available

Other Information

Persistence and degradability

Readily biodegradable according the GHS criteria.

Product Biodegradability Data

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 15 / 19

This Product is by Weight 100% an Individual Pure Chemical Substance. If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure time	Results
Isopropyl alcohol (100%) CAS#: 67-63-0	None reported	95%	21 days	Readily biodegradable

Bioaccumulation

If available, see ingredient data below. Does not have the potential to bioaccumulate according to GHS criteria.

Product Bioaccumulation Data

This Product is by Weight 100% an Individual Pure Chemical Substance.

Ingredient Bioaccumulation Data

No data available

Additional information

Product Information

Partition Coefficient (n-octanol/water)

log K_{ow} = 0.05

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
Isopropyl alcohol (100%) CAS#: 67-63-0	log K_{ow} = 0.05	No information available

Mobility

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient

log K_{oc} = 0.54

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
Isopropyl alcohol (100%) CAS#: 67-63-0	log K_{oc} = 0.54	No information available

Additional information

Water solubility

Product Information

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
Isopropyl alcohol CAS#: 67-63-0	Soluble	> 1000 mg/L	25 °C	77 °F

Other adverse effects
Endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated packaging Working in a well-ventilated area. Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state, or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P.A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste in countries other than the US. Improper disposal or reuse of this container may be dangerous and illegal. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

US EPA Waste Number D001

Special instructions for disposal Incinerate material at an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

U.S. DOT

UN/ID no UN1219
Proper shipping name Isopropyl alcohol
Hazard Class 3
Packing Group II
Emergency Response Guide Number 129

TDG

UN/ID no UN1219
Proper shipping name Isopropyl alcohol
Hazard Class 3
Packing Group II

IATA

UN/ID no UN1219
Proper shipping name Isopropyl alcohol
Hazard Class 3
Packing Group II
ERG Code 129

IMDG

UN/ID no UN1219
Proper shipping name Isopropyl alcohol
Hazard Class 3
Packing Group II

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 17 / 19

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 18 / 19

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 4	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 1	Flammability - 3	Physical Hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

<i>NIOSH IDLH</i>	<i>Immediately Dangerous to Life or Health</i>
<i>ACGIH</i>	<i>ACGIH (American Conference of Governmental Industrial Hygienists)</i>
<i>NDF</i>	<i>no data</i>

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.

Product Code(s) 1227642
Issue Date 27-Apr-2017
Version 1.1

Product Name Isopropanol
Revision Date 27-Apr-2017
Page 19 / 19

SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 27-Apr-2017

Revision Date 27-Apr-2017

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

End of Safety Data Sheet