

# **Safety Data Sheet**

Product Names: SBG1, SBG1-HP, SBG1-UPS, SBG1-C, SBG1-F, SBMP1, SBMP1-UPS, GP-SBA, SBG1P, SBG1P-UPS

(Type I Strong Base Anion Exchange Resin Chloride Form)
Effective date 25 October 2018

0 1!	. 4 - 1			4 5 4 4 4
Section	1 7	IAAN	titics	ation
OCCHOI		IUCII		atioii

1a Product Names ResinTech SBG1, SBG1-HP, SBG1-UPS, SBG1-

C, SBG1-F, SBMP1, SBMP1-UPS, GP-SBA,

SBG1P, SBG1P-UPS

1b Common Name Type I Strong base anion resin in the chloride form.

1c Intended use All general purpose anion exchanges for general

use including salt form and demineralization.

1d Manufacturer ResinTech, Inc.

Address 160 Cooper Road,

West Berlin, NJ 08091 USA

Phone 856-768-9600

Email ixresin@resintech.com

#### **Section 2: Hazard Identification**

2a Hazard classification Not hazardous or dangerous

Product Hazard Rating	Scale
Health = 0	0 = Negligible
Fire = 1	1 = Slight
Reactivity = 0	2 = Moderate
Special – N/A	3 = High
	4 = Extreme

2b Product description White, yellow, or orange colored solid beads

approximately 0.6 mm diameter with little or no

odor.

2c Precautions for use Safety glasses and gloves recommended.

Slipping hazard if spilled.

2c Potential health effects Will cause eye irritation.

Will cause skin skin irritation.

Ingestion is not likely to pose a health risk.

2d Environmental effects This product may alter the pH of any water that

contacts it.

## Section 2A: Hazard classification UN OSHA globally harmonized system



# Warning (contains ion exchange resin)

H320: Causes eye irritation (Category 2B)

# **Precautionary Statements**

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P333+313: If skin irritation or a rash occurs: Get medical advice/attention.

P337+313: If eye irritation persists get medical advice/attention.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P411: Store at temperatures not exceeding 50 °C/ 122 °F.

Please refer to the safety data sheet for additional information regarding this product

ResinTech, Inc. 160 Cooper Road West Berlin, NJ 08091-9234 856 768-9600 Ixresin@resintech.com

Sec	Section 3: Composition/ Information on Ingredients		
3a	Chemical name	Trimethylamine functionalized chloromethylated copolymer of polystyrene in the chloride form.	
3b	Ingredients		
	Chloromethlyated, trimethylamine- Quaternized poly (divinylbenzene-co-styrene-co- ethylstyrene)	CAS# 69011-19-4 (35 - 65%)	
	Water	CAS# 7732-18-5 (35 – 65%)	

Sec	ction 4: First Aid Measures		
4a	Inhalation	No adverse effects expected- normal use of product does not produce odors or vapors.	
4b	Skin	Wash with soap and water - seek medical attention if a rash develops.	
4c	Eye contact	Wash immediately with water-seek attention if discomfort continues.	
4d	Ingestion	No adverse effects expected for small amounts, larger amounts can cause stomach irritation. Seek medical attention if discomfort occurs.	
Sec	Section 5: Fire Fighting Measures		
5a	Flammability	NFPA Fire rating = 1	
5b	Extinguishing media	Water, CO2, foam, dry powder.	

Flammability	NFPA Fire rating = 1
Extinguishing media	Water, CO2, foam, dry powder.
Fire fighting Procedures	Follow general fire fighting procedures indicated in the work place. Seek medical attention if discomfort continues.
Protective Equipment	MSHA/NIOSH approved self-contained breathing gear, full protective clothing.
Combustion Products	Carbon oxides and other toxic gasses and vapors.
Unusual Hazards	Product is not combustible until moisture is removed. Resin begins to burn at approximately 230° C. Auto ignition can occur above 500° C.
	Extinguishing media Fire fighting Procedures  Protective Equipment  Combustion Products

Sec	ction 6: Accidental Release Measures	
6a	Personal Precautions	Keep people away, spilled resin can be a slipping hazard, wear gloves and safety glasses to minimize skin or eye contact.
6b	Incompatible Chemicals	Strong oxidants can create risk of combustion products similar to burning.
6c	Environmental Precautions	Keep out of public sewers and waterways.
6d	Containment Materials	Use plastic or paper containers.
6e	Methods of Clean-up	Sweep up material and transfer to containers.

Sec	ction 7: Handling and Storage	
7a	Handling	Avoid prolonged skin contact. Keep resin moist and avoid allowing resin to completely dry.
7b	Storage	Store in a cool dry place (0° to 45° C) in the original shipping container. This product is thermally sensitive and will have reduced shelf life if subjected to extended periods of time at temperatures exceeding 50° C. Although freezing does not usually damage ion exchange resins, avoid repeated freeze thaw cycles.
7c	TSCA considerations	Ion exchange resins should be listed on the TSCA Inventory in compliance with State and Federal Regulations.

Section 8: Exposure Controls/Personal Protection		
8a	OSHA exposure limits	None noted.
8b	Engineering Controls	Provide adequate ventilation.
8c	Personal Protection Measures Eye Protection Respiratory Protection Protective Gloves	Safety glasses or goggles. Not required for normal use. Not required for limited exposure but recommended for extended contact.

## Section 9: Physical and Chemical Properties

Amber, yellow, or red beads approx. 0.6 mm **Appearance** 

diameter.

Flammability or explosive limits Flammable above 500° C

Odor Little or no odor

**Physical State** Solid

Vapor pressure Not available Odor threshold Not available Vapor density Not available

pН Near neutral (6 to 8 typical)

Relative density Approx 710 grams/Liter

Melting point/freezing point Does not melt, freezes at approx. 0 C

Solubility Insoluble in water and most solvents

**Boiling point** Does not boil Approx 500° C Flash point

Evaporation rate Does not evaporate

Partition Coefficient (n-octonol/water) Not applicable Auto-ignition temperature Approx 500° C Above 230° C Decomposition temperature Viscosity Not applicable

### **Section 10: Stability and Reactivity**

10a Stability Stable under normal conditions.

10b Conditions to Avoid Heat, exposure to strong oxidants.

10c Hazardous by-products Trimethylamine, charred polystyrene, aromatic

> acids and hydrocarbons, organic amines, nitrogen oxides, carbon oxides, chlorinated hydrocarbons.

10d Incompatible materials Strong oxidizing agents (such as HNO<sub>3</sub>)

10e Hazardous Polymerization Does not occur **Section 11: Toxicological Information** 

11a Likely Routes of Exposure Oral, skin or eye contact.

11b Effects of exposure

Delayed None known.
Immediate (acute) None known.
Chronic None known.

11c Toxicity Measures

Skin Adsorption
Unlikely, some transfer of acidity is possible.
Oral toxicity believed to be low but no LD50 has

been established.

Inhalation Unknown, vapors are very unlikely due to physical

properties (insoluble solid).

11d Toxicity Symptoms

Skin Adsorption Mild Rash.

Indigestion or general malaise.

Inhalation Unknown.

11e Carcinogenicity None known

**Section 12: Ecological information** 

12a Eco toxicity Not acutely harmful to plant or animal life.

12b Mobility Insoluble, acidity or causticity may escape if wet.

12c Biodegradability Not biodegradable.

12d Bioaccumulation Insignificant.

12e Other adverse effects Not Harmful to the environment.

Section 13: Disposal Considerations	
13a General considerations	Material is non-hazardous.
13b Disposal Containers	Most plastic and paper containers are suitable.
13c Disposal methods	No specific method necessary.
13d Sewage Disposal	Not recommended.
13e Precautions for incineration	May release trimethylamine and toxic vapors when burned.
13f Precautions for landfills	Resins used to remove hazardous materials may then become hazardous mixtures

Section 14: Transportation Information	on
14a Transportation Class	Not classified as a dangerous good for transport by land, sea, or air.
14b TDG	Not regulated.
14c IATA	Not regulated.
14d DOT (49 CFR 172.101)	Not Regulated.
Section 15: Regulatory Information	
15a CERCLA	Not regulated
15b SARA Title III	Not regulated
15c Clean Air act	Not regulated
15d Clean Water Act	Not regulated
15e TSCA	Not regulated
15f Canadian Regulations WHMIS TDG	Not a controlled product Not regulated
15g Mexican Regulations	Not Dangerous

### **Section 16: Other Information**

The information provided in this safety data sheet is presented in good faith and believed to be accurate as of the effective data shown above. However, no warranty or guarantee of accuracy, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure that their activities comply with federal, state, and local laws.

16a Date of Revision 25 October 2018